

(original) A metadata production device, comprising:
a content reproduction portion that reproduces and outputs content;
an voice input portion;

a voice recognition portion that recognizes voice signals that are input from the voice input portion;

a metadata generation portion that converts information recognized by the voice recognition portion into metadata;

an identification information attaching portion that obtains identification information for identifying positions within the content from the content and attaches the identification information to the metadata; and

a dictionary that is limited in accordance with the content; whereby the generated metadata is associated with positions in the content; and the recognition is performed in association with the dictionary, when recognizing the voice signals input from the voice input portion with the voice recognition portion.

- 2. (cancelled)
- 3. (original) The metadata production device according to claim 1, wherein the voice signals are recognized by the voice recognition portion word by word in association with the dictionary.
- 4. (previously presented) The metadata production device according to claim 1, further comprising an information processing portion including a keyboard, wherein the metadata can be corrected through the information processing portion by input from the keyboard.
- 5. (previously presented) The metadata production device according to claim 1, wherein time code information that is attached to the content is used as the identification information.
- 6. (previously presented) The metadata production device according to claim 1,

wherein content addresses, numbers or frame numbers attached to the content are used as the identification information.

- 7. (original) The metadata production device according to claim 1, wherein the content is still-picture content, and the addresses of the still-picture content are used as the identification information.
- 8. (currently amended) The metadata production device according to claim 1, wherein

the content reproduction portion is configured by a content database;

the voice input portion supplies to the voice recognition portion voice signals of entered keywords that have been converted into data with a clock signal that is synchronized with a synchronization signal supplied from the content database;

the voice recognition portion is configured to recognize the keywords from the voice signal data that has been converted into data by the voice input portion; and

the metadata generation portion is configured as a file processing portion that produces a metadata file by using, as the identification information, a time code that indicates a time position of an image signal included in the content, and combining the keywords that are output from the voice recognition portion with that time code.

- 9. (original) The metadata production device according to claim 8, further comprising a recording portion that records the content that is supplied from the content database together with the metadata file as a content file.
- 10. (currently amended) The metadata production device, according to claim 9, further comprising a content information file processing portion that generates a control file controlling the relation between the metadata file and recording positions at which the content file is to be recorded;

wherein the control file is recorded in the recording portion together with the content file and the metadata file.

- 11. (original) The metadata production device according to claim 8, further comprising a dictionary database, wherein the voice recognition portion can select a dictionary of a genre corresponding to the content from a plurality of genre-dependent dictionaries.
- 12. (original) The metadata production device according to claim 11, wherein keywords related to the content can be supplied to the voice recognition portion; and

wherein the voice recognition portion is configured to recognize those keywords with higher priority.

- 13. (original) A method for producing metadata, comprising: voice-inputting information related to a given content while displaying the content on a monitor; subjecting the input voice signal to voice recognition with a voice recognition device using a dictionary that is limited in accordance with the content; converting voice-recognized information into metadata; and attaching identification information provided to the content for identifying positions in the content to the metadata, thereby associating the generated metadata with the positions in the content.
- 14. (cancelled)
- 15. (cancelled)
- 16. (original) The method for producing metadata according to claim 13, wherein time code information that is attached to the content is used as the identification information.
- 17. (original) The metadata production device according to claim 13, wherein the content is still-picture content, and the addresses of the still-picture content are used as the identification information.

18. (currently amended) A metadata search device, comprising: a content database that reproduces and outputs content;

a voice input portion that converts voice signals of entered keywords into data with a clock signal that is synchronized with a synchronization signal of the reproduced content:

a voice recognition portion that recognizes the keywords from the voice signal data that has been converted into data by the voice input portion;

a file processing portion that produces a metadata file by combining the keywords output from the voice recognition portion with time codes that indicate a time position of an image signal that is included in the content;

a content information file processing portion that generates a control file controlling a relation between the metadata file and recording positions of the content file:

a recording portion that records the content file, the metadata file and the control file; and

a search portion that extracts a recording position corresponding to a keyword in the content file by specifying the metadata files in which an entered search keyword is included, and referencing the control file;

wherein the recording position of the content file is the recording position in the recording portion.

- 19. (original) The metadata search device according to claim 18, wherein the control file that is output from the content information file processing portion is devised as a table that lists recording positions of content in the recording portion in accordance with a recording time of the content, and the recording position of the content can be searched from the time code.
- 20. (original) The metadata search device according to claim 18, further comprising a dictionary database, and a keyword supply portion that supplies keywords related to the content into the voice recognition portion;

wherein the voice recognition portion can select a dictionary of a genre corresponding to the content from a plurality of genre-dependent dictionaries, and the voice recognition portion is configured to recognize those keywords with higher priority.

21. (original) The metadata search device according to claim 18, further comprising a dictionary database;

wherein the voice recognition portion can select a dictionary of a genre corresponding to the content from a plurality of genre-dependent dictionaries; and wherein the search portion is configured to search by keywords that are chosen from a common dictionary used by the voice recognition portion.